




Generator set manufacturing service provider

ENERGY CONSERVATION INOVATION SMART



HONOR OF QUALIFICATION ▾



CORPORATE PROFILE ▾

SOLLANT Engineering Ltd. devotes to generator set research and manufacturing since its establishment in 2001, we have accumulated rich experience in manufacturing and maintenance of generator set industry. SOLLANT production are submit to ISO8525 and GB/T2820-97 standard, qualified by ISO9001, ISO14001 management system and CE certification. These certificates guarantee SOLLANT high quality products and service. SOLLANT is awarded Shanghai and Shanghai famous trademark and got tens of patents, granted high and new technology enterprise. Now SOLLANT power generators have already been exported to all over the world with great reputation and approval.

As professional generator manufacturer, SOLLANT pays more attention to the R&D, innovation and service, and maintaining long term strategic friendly cooperation with international and domestic famous manufacturer of Cummins, Perkins, Doosan, SDEC, Wuxi Wandi, Leroy-Somer, Stamford, Marathon etc. we have wide products range from 5kva to 5000kva diesel generator, from 25kva to 1500kva gas generator, silent generator, container type generator, movable, vehicle type generator sets. Our electrical control system cover automatic control panel, synchronization system, ATS etc. Besides, AOSIF can also provide customized products and power station solution based on standard products in order to meet the demand of market in maximum. Focusing on global market, creating AOSIF as international brand, and constantly creating maximum value for clients is AOSIF unchangeable promise and eternal pursuit.



ENTERPRISE QUALIFICATION ▽



Dongfeng Cummins OEM



Leroy Somer OEM



Perkins OEM



Chongqing Cummins OEM



Doosan OEM



ISO 9001



ISO 14001



CE 认证



Shanghai Diesel
Engine Power OEM




Shanghai MHI
Engine OEM



Wuxi Power OEM




Deutz Engine OEM




Marathon Power OEM



Stamford Power OEM



SGS Colombia S.A.S



Patent certificate

WORKSHOP Overview



WORKSHOP

Introduction



Assembly shop

The unit is assembled in the workshop



Electrical workshop

The Electric Workshop is responsible for the manufacture of control cabinet and switch cabinet



Sheet metal shop

All sheet-metal structural parts are fabricated in the sheet-metal shop, including machining, welding, sanding, sanding, pre-spraying and painting.

SC Series Generators

This series of generator sets are powered by Cummins series diesel engines. Cummins has two Sino Us joint ventures in china, Chongqing Cummins and Dongfeng Cummins. It has the advantages of strong power, high reliability, good durability, excellent fuel economy, small volume, large power, large torque, large torque reserve, strong universality of parts, safety and environmental protection.



50HZ 400V,3P4W CUMMINS SERIES

Genset Model	Standby Power (KW/KVA)	Prime Power (KW/KVA)	Model	No.of Cylinder	Bore x Stroke (mm)	Overall Size (mm)	Gross Weight (kg)
SC22GF/S	18/22	16/20	4B3.9-G11	4.L	102X120	1650X700X1185	800
SC28GF/S	22/28	20/25	4B3.9-G1	4.L	102X120	1650X700X1185	850
SC28GF/S	22/28	20/25	4B3.9-G2	4.L	102X120	1650X800X1315	850
SC33GF/S	27/33	24/30	4BT3.9-G1	4.L	102X120	1700X700X1190	900
SC33GF/S	27/33	24/30	4BT3.9-G2	4.L	102X120	1700X700X1190	900
SC42GF/S	33/42	30/37.5	4BT3.9-G1	4.L	102X120	1700X700X1190	900
SC42GF/S	33/42	30/37.5	4BT3.9-G2	4.L	102X120	1700X700X1190	900
SC55GF/S	44/55	40/50	4BTA3.9-G2	4.L	102X120	1750X800X1260	950
SC70GF/S	56/70	50/62.5	4BTA3.9-G11	4.L	102X120	1900X800X1500	1180
SC85GF/S	68/85	60/75	4BTA3.9-G11	4.L	102X120	1900X800X1500	1180
SC110GF/S	88/110	80/100	6BT5.9-G1	6.L	102X120	2250X880X1445	1480
SC110GF/S	88/110	80/100	6BT5.9-G2	6.L	102X120	2250X880X1445	1480
SC110GF/S	88/110	80/100	4BTA3.9-G13	4.L	102X120	1900X800X1500	1250
SC140GF/S	112/140	100/125	6BTA5.9-G2	6.L	102X120	2250X800X1530	1500
SC165GF/S	132/165	120/150	6BTA5.9-G12	6.L	102X120	2400X880X1530	1580
SC200GF/S	160/200	150/187.5	6CTA8.3-G1	6.L	114X135	2400X900X1620	1905
SC200GF/S	160/200	150/187.5	6CTA8.3-G2	6.L	114X135	2400X900X1620	1905
SC220GF/S	176/220	160/200	6CTA8.3-G2	6.L	114X135	2460X960X1650	2050
SC275GF/S	220/275	200/250	6LTAA8.9-G2	6.L	114X145	2550X1000X1780	2410
SC350GF/S	280/350	250/312.5	6LTAA9.5-G1	6.L	116.5X148	2850X1120X1750	2700
SC385GF/S	308/385	280/350	NTA855-G2A	6.L	140X152	3150X1120X2000	3200
SC400GF/S	320/400	300/375	6ZTAA13-G3	6.L	130X163	3100X1380X2000	3500
SC400GF/S	320/400	300/375	NTA855-G7	6.L	140X152	3185X1120X2050	3490
SC450GF/S	360/450	320/400	6ZTAA13-G2	6.L	130X163	3100X1380X2000	3500
SC450GF/S	360/450	320/400	NTA855-G7	6.L	140X152	3185X1120X2050	3490
SC500GF/S	400/500	360/450	6ZTAA13-G4	6.L	130X163	3250X1360X2065	3600
SC500GF/S	400/500	360/450	KTA19-G3	6.L	159X159	3480X1380X2200	4600
SC550GF/S	440/550	400/500	QSZ13-G3	6.L	130X163	3250X1360X2065	3600
SC550GF/S	440/550	400/500	KTA19-G3A	6.L	159X159	3480X1380X2200	4600
SC625GF/S	500/625	450/562.5	QSZ13-G10	6.L	130X163	3250X1360X2065	3800
SC625GF/S	500/625	450/562.5	KTAA19-G6	6.L	159X159	3600X1550X2300	5000
SC700GF/S	560/700	500/625	KTAA19-G6A	6.L	159X159	3600X1550X2300	5000
SC825GF/S	660/825	600/750	KTA38-G2	12.V	159X159	4400X1820X2450	7800
SC880GF/S	704/880	640/800	KTA38-G2B	12.V	159X159	4400X1820X2450	7800
SC1000GF/S	800/1000	720/900	KTA38-G2A	12.V	159X159	4400X1820X2450	7800
SC1100GF/S	880/1100	800/1000	KTA38-G5	12.V	159X159	4400X1820X2450	7900
SC1250GF/S	1000/1250	900/1125	KTA38-G9	12.V	159X159	4420X1850X2450	8000
SC1375GF/S	1100/1375	1000/1250	KTA50-G3	16.V	159X159	5000X2020X2500	8250
SC1650GF	1320/1650	1200/1500	KTA50-GS8	16.V	159X159	5650X2150X2520	10900
SC1800GF	1440/1800	1320/1650	KTA50-G15	16.V	159X159	5550X2230X2720	11420



Open frame generator set



Silent generator set



Mobile trailer generator set



Container generator set

SC Series Generators

50HZ 400V,3P4W,CUMMINS EU STAGE IIIA EMISSION SERIES

Genset Model	Standby Power (KW/KVA)	Prime Power (KW/KVA)	Model	No.of Cylinder	Bore x Stroke (mm)	Emission	Overall Size (mm)	Gross Weight (kg)
SC28GF/S	22/27.5	20/25	QSB3.9-G31	4.L	102X120	STAGE IIIA	1650X700X1185	850
SC30GF/S	24/30	21.6/27	QSB3.9-G31	4.L	102X120	STAGE IIIA	1700X700X1190	880
SC38GF/S	30.8/38.5	28/35	QSB3.9-G33	4.L	102X120	STAGE IIIA	1700X700X1190	890
SC45GF/S	36/45	32/40	QSB3.9-G33	4.L	102X120	STAGE IIIA	1700X700X1190	900
SC55GF/S	44/55	40/50	QSB3.9-G35	4.L	102X120	STAGE IIIA	1750X800X1260	950
SC66GF/S	52.8/66	48/60	QSB3.9-G35	4.L	102X120	STAGE IIIA	1900X800X1500	1080
SC88GF/S	70/88	64/80	QSB3.9-G37	4.L	102X120	STAGE IIIA	1900X800X1500	1180
SC100GF/S	80/100	72/90	QSB3.9-G37	4.L	102X120	STAGE IIIA	2000X800X1500	1200
SC110GF/S	88/110	80/100	QSB3.9-G39	4.L	102X120	STAGE IIIA	2000X800X1500	1250
SC137GF/S	110/137.5	100/125	QSB5.9-G30	6.L	102X120	STAGE IIIA	2250X880X1500	1450
SC150GF/S	120/150	110/137.5	QSB5.9-G30	6.L	102X120	STAGE IIIA	2250X880X1530	1500
SC165GF/S	132/165	120/150	QSB5.9-G31	6.L	102X120	STAGE IIIA	2400X900X1530	1580
SC187GF/S	150/187.5	136/170	QSB5.9-G33	6.L	102X120	STAGE IIIA	2400X950X1600	1680
SC200GF/S	160/200	144/180	QSB5.9-G33	6.L	102X120	STAGE IIIA	2400X950X1600	1800
SC220GF/S	176/220	160/200	QSB6.7-G32	6.L	107X124	STAGE IIIA	2400X1000X1650	2050
SC250GF/S	202/253	184/230	QSB6.7-G31	6.L	107X124	STAGE IIIA	2400X1000X1680	2200
SC275GF/S	220/275	200/250	QSL8.9-G34	6.L	114X144.5	STAGE IIIA	2600X1100X1750	2350
SC330GF/S	264/330	240/300	QSL8.9-G33	6.L	114X144.5	STAGE IIIA	2600X1100X1800	2400
SC360GF/S	288/360	260/325	QSL8.9-G30	6.L	114X144.5	STAGE IIIA	2600X1100X1800	2500
SC400GF/S	320/400	292/365	QSZ13-G6	6.L	130X163	STAGE IIIA	3100X1380X2000	3400
SC450GF/S	360/450	328/410	QSZ13-G7	6.L	130X163	STAGE IIIA	3100X1380X2000	3500

60HZ 440V,3P4W CUMMINS SERIES

Genset Model	Standby Power (KW/KVA)	Prime Power (KW/KVA)	Model	No.of Cylinder	Bore x Stroke (mm)	Overall Size (mm)	Gross Weight (kg)
SC28GF/S1	22/28	20/25	4B3.9-G11	4.L	102X120	1650X800X1310	800
SC28GF/S1	22/28	20/25	4B3.9-G2	4.L	102X120	1650X800X1310	850
SC33GF/S1	27/33	24/30	4B3.9-G2	4.L	102X120	1650X800X1310	850
SC42GF/S1	33/42	30/37.5	4BT3.9-G2	4.L	102X120	1820X800X1315	900
SC55GF/S1	44/55	40/50	4BTA3.9-G2	4.L	102X120	1900X800X1500	950
SC70GF/S1	56/70	50/62.5	4BTA3.9-G2	4.L	102X120	1900X800X1500	950
SC85GF/S1	68/85	60/75	4BTA3.9-G11	4.L	102X120	1900X800X1500	1180
SC110GF/S1	88/110	80/100	6BT5.9-G2	6.L	102X120	2250X880X1445	1480
SC140GF/S1	112/140	100/125	6BT5.9-G2	6.L	102X120	2250X880X1445	1480
SC165GF/S1	132/165	120/150	6BTAA5.9-G2	6.L	102X120	2400X880X1530	1580
SC200GF/S1	160/200	150/187.5	6CTA8.3-G2	6.L	114X135	2400X900X1620	1905
SC220GF/S1	176/220	160/200	6CTA8.3-G2	6.L	114X135	2400X900X1620	1905
SC250GF/S1	200/250	180/225	6CTAA8.3-G2	6.L	114X135	2460X960X1650	2050
SC275GF/S1	220/275	200/250	6LTAA8.9-G2	6.L	114X135	2550X1000X1780	2410
SC300GF/S1	240/300	220/275	6LTAA8.9-G2	6.L	114X135	2550X1000X1780	2410
SC350GF/S1	240/300	220/275	NTA855-G1	6.L	140X152	3185X1120X2050	3490
SC350GF/S1	280/350	250/312.5	6LTAA9.5-G1	6.L	116.5X148	2850X1120X1750	2700
SC375GF/S1	300/375	275/344	NTA855-G1B	6.L	140X152	3185X1120X2050	3490
SC400GF/S1	320/400	300/375	NTA855-G1B	6.L	140X152	3185X1120X2050	3490
SC400GF/S1	320/400	300/375	NTA855-G3	6.L	140X152	3185X1120X2050	3490
SC500GF/S1	400/500	360/450	6ZTAA13-G2	6.L	130X163	3100X1380X2000	3500
SC500GF/S1	400/500	360/450	KTA19-G2	6.L	159X159	3480X1380X2200	4600
SC550GF/S1	440/550	400/500	QSZ13-G3	6.L	130X163	3250X1360X2065	3600
SC550GF/S1	440/550	400/500	KTA19-G3	6.L	159X159	3480X1380X2200	4600
SC625GF/S1	500/625	450/562	QSZ13-G11	6.L	130X163	3250X1360X2065	3600
SC625GF/S1	500/625	450/562	KTA19-G3A	6.L	159X159	3600X1550X2300	4600
SC700GF/S1	560/700	500/625	QSZ13-G11	6.L	130X163	3250X1360X2065	3800
SC700GF/S1	560/700	500/625	KTAA19-G5	6.L	159X159	3600X1550X2300	5000
SC750GF/S1	600/750	550/687.5	KTAA19-G6A	6.L	159X159	3600X1550X2300	5000
SC825GF/S1	660/825	600/750	KT38-G	12.V	159X159	4400X1820X2450	7800
SC880GF/S1	740/880	640/800	KT38-G	12.V	159X159	4400X1820X2450	7800
SC1000GF/S1	800/1000	720/900	KTA38-G2	12.V	159X159	4400X1820X2450	7800
SC1100GF/S1	880/1100	800/1000	KTA38-G2A	12.V	159X159	4400X1820X2450	7900
SC1250GF/S1	1000/1250	900/1125	KTA38-G4	12.V	159X159	4420X1850X2450	8000
SC1375GF/S1	1100/1375	1000/1250	KTA50-G3	16.V	159X159	5000X2020X2500	8250
SC1500GF/S1	1200/1500	1100/1375	KTA50G3	16.V	159X159	5650X2150X2520	10900
SC1650GF1	1320/1650	1200/1500	KTA50-G9	16.V	159X159	5550X2230X2720	11420



Open frame generator set



Silent generator set



Mobile trailer generator set



Container generator set

SP Series Generators

This series of diesel generator sets are powered by imported Perkins series diesel engines, the latest European and American technology, and high-strength wear-resistant materials to ensure first-class quality, excellent shock absorption performance, advanced control system, excellent performance, stable operation, low vibration, fuel consumption rate, low oil consumption rate, long operation life, long overhaul time and low noise.



50HZ 400V,3P4W PERKINS SERIES

Genset Model	Standby Power (KW/KVA)	Prime Power (KW/KVA)	Model	No.of Cylinder	Bore x Stroke (mm)	Overall Size (mm)	Gross Weight (kg)
SP11GF/S	8.8/11	8/10	403D-11G	3.L	77X81	1150X550X1000	385
SP14GF/S	11\14	10/12.5	403A-15G1	3.L	84X90	1150X550X1000	405
SP17GF/S	14/17	12\15	403A-15G2	3.L	84X90	1150X550X1000	405
SP22GF/S	18/22	16/20	404D-22G	3.L	84X100	1300X550X1050	480
SP28GF/S	22/28	20/25	1103A-33G	3.L	105X127	1550X720X1150	680
SP33GF/S	27/33	24/30	1103A-33G	3.L	105X127	1550X720X1150	680
SP42GF/S	33/42	30/37.5	1103A-33TG1	3.L	105X127	1550X720X1150	750
SP55GF/S	44/55	40/50	1103A-33TG2	3.L	105X127	1700X760X1170	800
SP70GF/S	56/70	50/62.5	1103A-33TG2	3.L	105X127	1700X760X1170	830
SP70GF/S	56/70	50/62.5	1104A-44TG1	4.L	105X127	1800X760X1200	930
SP85GF/S	68/85	60/75	1104A-44TG2	4.L	105X127	1800X760X1200	1000
SP110GF/S	88/110	80/100	1104C-44TG2	4.L	105X127	1900X760X1300	1050
SP140GF/S	112/140	100/125	1106A-70TG1	6.L	105X135	2250X880X1400	1500
SP165GF/S	132/165	120/150	1106A-70TG2	6.L	105X135	2250X880X1400	1600
SP200GF/S	160/200	150/187.5	1106A-70TG3	6.L	105X135	2350X880X1450	1700
SP200GF/S	160/200	150/187.5	1106A-70TG4	6.L	105X135	2350X880X1450	1700
SP220GF/S	176/220	160/200	1106A-70TG4	6.L	105X135	2350X880X1450	1750
SP275GF/S	220/275	200/250	1206A-E70TTAG3	6.L	105X135	3520X1200X1950	3000
SP350GF/S	280/350	250/312.5	1706A-E93TAG1	6.L	114X149	2450X1080X1650	1850
SP400GF/S	320/400	300/375	2206C-E13TAG3	6.L	130X157	3200X1150X2050	2950
SP450GF/S	360/450	320/400	2206C-E13TAG3	6.L	130X157	3200X1150X2050	2950
SP500GF/S	400/500	360/450	2506C-E15TAG1	6.L	137X171	3500X1150X2050	3650
SP550GF/S	440/550	400/500	2506C-E15TAG2	6.L	137X171	3500X1150X2050	3650
SP625GF/S	500/625	450/562.5	2806C-E18TAG1A	6.L	145X183	3400X1600X2050	4600
SP700GF/S	560/700	500/625	2806A-E18TAG2	6.L	145X183	3400X1600X2050	4600
SP825GF/S	660/825	600/750	4006-23TAG2A	6.L	160X190	3750X1680X2405	5840
SP880GF/S	704/880	640/800	4006-23TAG3A	6.L	160X190	3750X1680X2405	5840
SP1000GF/S	800/1000	720/900	4008TAG1A	8.L	160X190	4700X2010X2405	7800
SP1100GF/S	880/1100	800/1000	4008TAG2	8.L	160X190	4700X2010X2405	7800
SP1250GF/S	1000/1250	900/1125	4008-30TAG3	12.V	160X190	4700X2010X2405	8000



Open frame generator set



Silent generator set



Mobile trailer generator set



Container generator set

SP Series Generators

50HZ 400V,3P4W PERKINS EU STAGE II/IIIA EMISSION SERIES

Genset Model	Standby Power (KW/KVA)	Prime Power (KW/KVA)	Model	No.of Cylinder	Bore x Stroke (mm)	Emission (EU)	Overall Size (mm)	Gross Weight (kg)
SP22GF/S	18\22	16\20	404D-22G	4.L	84X100	STAGE IIIA	1300X550X1050	480
SP30GF/S	24\30	21.6\27	404D-22TG	4.L	84X100	STAGE IIIA	1550X720X1150	680
SP70GF/S	56\70	50\62.5	1104D-44TG2	4.L	105X127	STAGE IIIA	1800X760X1200	930
SP94GF/S	75\94	68\85	1104D-E44TAG1	4.L	105X127	STAGE IIIA	1800X760X1200	1000
SP110GF/S	88\110	80\100	1104C-44TAG2	4.L	105X127	STAGE II	1900X760X1300	1050
SP110GF/S	88\110	80\100	1104D-E44TAG2	4.L	105X127	STAGE IIIA	1900X760X1300	1050
SP150GF/S	120\150	110\125	1106D-E70TAG2	6.L	105X135	STAGE IIIA	2250X880X1400	1500
SP165GF/S	132\165	120\150	1106D-E70TAG3	6.L	105X135	STAGE IIIA	2250X880X1400	1600
SP200GF/S	160\200	144\180	1106D-E70TAG4	6.L	105X135	STAGE IIIA	2350X880X1450	1700
SP220GF/S	176\220	160\200	1206D-E70TTAG1	6.L	105X135	STAGE IIIA	2350X880X1450	1750
SP250GF/S	202\250	184\230	1206D-E70TTAG2	6.L	105X135	STAGE IIIA	3520X1200X1950	3000
SP275GF/S	220\275	200\250	1206D-E70TTAG3	6.L	105X135	STAGE IIIA	3520X1200X1950	3000
SP400GF/S	320\400	280\350	2206C-E13TAG2	6.L	130X157	STAGE II	3200X1150X2050	2950
SP450GF/S	360\450	320\400	2206C-E13TAG3	6.L	130X157	STAGE II	3200X1150X2050	2950
SP450GF/S	360\450	320\400	2206D-E13TAG3	6.L	130X157	STAGE IIIA	3200X1150X2050	2950
SP500GF/S	400\500	360\450	2506C-E15TAG1	6.L	137X171	STAGE II	3500X1150X2050	3650
SP550GF/S	440\550	400\500	2506C-E15TAG2	6.L	130X157	STAGE II	3500X1150X2050	3650
SP550GF/S	440\550	400\500	2506D-E15TAG2	6.L	137X171	STAGE IIIA	3500X1150X2050	3650

60HZ 480V,3P4W PERKINS US TIRE 3 EMISSION SERIES

Genset Model	Standby Power (KW/KVA)	Prime Power (KW/KVA)	Model	No.of Cylinder	Bore x Stroke (mm)	Emission (EPA)	Overall Size (mm)	Gross Weight (kg)
SP11GF/S1	9\11	8\10	403D-11G	3.L	77X81	EPA TIRE 3	1150X550X1000	385
SP14GF/S1	11\14	10\12.5	403D-11G	3.L	84X90	EPA TIRE 3	1150X550X1000	405
SP17GF/S1	14\17	12\15	403D-15G	3.L	84X90	EPA TIRE 3	1150X550X1000	405
SP28GF/S1	22\28	20\25	404D-22G	4.L	84X100	EPA TIRE 3	1300X550X1050	480
SP33GF/S1	26\33	24\30	404D-22TG	4.L	84X100	EPA TIRE 3	1300X550X1050	480
SP60GF/S1	48\60	43\54	1104D-44TG1	4.L	105X127	EPA TIRE 3	1550X720X1150	750
SP66GF/S1	53\66	48\60	1104D-44TG1	4.L	105X127	EPA TIRE 3	1700X760X1170	800
SP110GF/S1	88\110	80\100	1104D-E44TAG1	4.L	105X127	EPA TIRE 3	1800X760X1200	930
SP132GF/S1	106\132	96\120	1104D-E44TAG2	4.L	105X127	EPA TIRE 3	1800X760X1200	1000
SP180GF/S1	145\182	132\165	1106D-E70TAG2	6.L	105X135	EPA TIRE 3	2250X880X1400	1500
SP200GF/S1	160\200	144\180	1106D-E70TAG3	6.L	105X135	EPA TIRE 3	2250X880X1400	1600
SP220GF/S1	176\220	160\200	1106D-E70TAG4	6.L	105X135	EPA TIRE 3	2350X880X1450	1700
SP250GF/S1	200\250	180\225	1106D-E70TAG5	6.L	105X135	EPA TIRE 3	2350X880X1450	1700

60HZ 440V,3P4W PERKINS SERIES

Genset Model	Standby Power (KW/KVA)	Prime Power (KW/KVA)	Model	No.of Cylinder	Bore x Stroke (mm)	Overall Size (mm)	Gross Weight (kg)
SP11GF/S1	9\11	8\10	403D-11G	3.L	77X81	1150X550X1000	385
SP14GF/S1	11\14	10\12.5	403D-15G	3.L	84X90	1150X550X1000	405
SP17GF/S1	14\17	12\15	403D-15G	3.L	84X90	1150X550X1000	405
SP20GF/S1	16\20	14.4\18	403A-15G2	3.L	84X100	1300X550X1050	480
SP28GF/S1	22\28	20\25	404D-22G	4.L	84X100	1300X550X1050	480
SP33GF/S1	27\33	24\30	404D-22TG	4.L	84X100	1300X550X1050	480
SP55GF/S1	44\55	40\50	1103A-33TG1	3.L	105X127	1550X720X1150	750
SP70GF/S1	56\70	50\62.5	1103A-33TG2	3.L	105X127	1700X760X1170	800
SP85GF/S1	68\85	60\75	1104A-44TG1	4.L	105X127	1700X760X1170	830
SP110GF/S1	88\110	80\100	1104A-44TAG2	4.L	105X127	1800X760X1200	930
SP140GF/S1	112\140	100\125	1104C-44TAG2	4.L	105X127	1800X760X1200	1000
SP165GF/S1	132\165	120\150	1106A-70TG1	6.L	105X135	2250X880X1400	1500
SP200GF/S1	160\200	150\187.5	1106A-70TAG3	6.L	105X135	2250X880X1400	1600
SP220GF/S1	176\220	160\200	1106A-70TAG3	6.L	105X135	2350X880X1450	1700
SP275GF/S1	220\275	200\250	1106D-E70TAG5	6.L	105X135	2350X880X1450	1700
SP400GF/S1	320\400	300\375	2206A-E13TAG5	6.L	130X157	3200X1150X2050	2950
SP500GF/S1	400\500	360\450	2206A-E13TAG6	6.L	130X157	3200X1150X2050	2950
SP550GF/S1	440\550	400\500	2206D-E13TAG3	6.L	130X157	3200X1150X2050	2950
SP625GF/S1	500\625	450\562	2506D-E15TAG1	6.L	137X171	3500X1150X2050	3650
SP700GF/S1	560\700	500\625	2506C-E15TAG3	6.L	137X171	3500X1150X2050	3650
SP750GF/S1	600\750	550\687.5	2506C-E15TAG4	6.L	137X171	3500X1150X2050	3650
SP825GF/S1	660\825	600\750	4006-23TAG2A	6.L	160X190	3750X1680X2405	5840
SP880GF/S1	704\880	640\800	4006-23TAG3A	6.L	160X190	3750X1680X2405	5840
SP1000GF/S1	800\1000	720\900	4006-23TAG3A	6.L	160X190	3750X1680X2405	5840
SP1100GF/S1	880\1100	800\1000	4008TAG2	8.L	160X190	4700X2010X2405	7800



Open frame generator set



Silent generator set



Mobile trailer generator set



Container generator set

WP Series Generators

This series of diesel generator sets are powered by Weichai series diesel engines. At present, it is one of the automobile and equipment manufacturing groups with the strongest comprehensive strength in China. Its power, economy and strengthening degree have reached the international leading level. The engine has strong load carrying capacity, meets the working conditions of sudden load change, low noise and low vibration.



50HZ 400V,3P4W WEICHAH SERIES

Genset Model	Standby Power (KW/KVA)	Prime Power (KW/KVA)	Model	No.of Cylinder	Bore x Stroke (mm)	Overall Size (mm)	Gross Weight (kg)
SW28GF/S	22/28	20/25	WP2.3D25E200	4.L	89X92	1400X750X1050	530
SW33GF/S	27/33	24/30	WP2.3D33E200	4.L	89X92	1400X750X1050	560
SW42GF/S	33/42	30/37.5	WP2.3D40E200	4.L	89X92	1480X750X1050	660
SW55GF/S	44/55	40/50	WP2.3D48E200	4.L	89X92	1600X750X1130	740
SW70GF/S	56/70	50/62.5	WP4.1D66E200	4.L	105X118	1900X850X1160	880
SW85GF/S	68/85	60/75	WP4.1D80E200	4.L	105X118	1900X850X1160	910
SW110GF/S	88/110	80/100	WP4.1D100E200	4.L	105X118	1980X900X1220	1010
SW140GF/S	112/140	100/125	WP6D132E200	6.L	105X130	2550X900X1450	1390
SW165GF/S	132/165	120/150	WP6D152E200	6.L	105X130	2550X900X1450	1440
SW200GF/S	160/200	150/187.5	WP10D200E200	6.L	126X130	2785X1050X1670	1750
SW200GF/S	160/200	150/187.5	WP6D167E200	6.L	105X130	2580X950X1450	1440
SW220GF/S	176/220	160/200	WP10D200E200	6.L	126X130	2785X1050X1615	2080
SW275GF/S	220/275	200/250	WP10D238E200	6.L	126X130	2900X1050X1600	2150
SW350GF/S	280/350	250/312.5	WP10D320E200	6.L	126X155	2940X1050X1600	2450
SW400GF/S	320/400	300/375	WP10D320E200	6.L	126X155	2940X1050X1600	2680
SW400GF/S	320/400	300/375	WP12D353E200	6.L	127X165	2930X1050X1810	2450
SW450GF/S	360/450	320/400	WP13D385E200	6.L	127X165	3130X1200X1790	2680
SW500GF/S	400/500	360/450	WP13D405E200	6.L	127X165	3200X1200X1790	3150
SW550GF/S	440/550	400/500	WP13D440E310	6.L	127X165	3230X1350X1850	3750
SW550GF/S	440/550	400/500	WP13D490E310	6.L	127X165	3230X1350X1850	3750
SW625GF/S	500/625	450/562.5	6M33D572E200	6.L	150X185	3700X1600X2180	4550
SW625GF/S	500/625	450/562.5	8M21D580E310	8.V	150X185	3200X1700X1900	4500
SW700GF/S	560/700	500/625	6M33D633E200	6.L	150X185	3850X1600X2150	4950
SW700GF/S	560/700	500/625	8M21D615E310	8.V	150X185	3200X1700X1900	4500
SW825GF/S	660/825	600/750	6M33D725E310	6.L	150X185	3900X1600X2100	5500
SW880GF/S	704/880	640/800	12M26D792E200	12.V	150X150	4350X2000X2350	6900
SW880GF/S	704/880	640/800	8M33D800E200	8.V	150X185	3950X2000X2200	5800
SW1000GF/S	800/1000	720/900	12M26D902E200	12.V	150X150	4350X2000X2350	7000
SW1000GF/S	800/1000	720/900	8M33D890E200	8.V	150X185	3950X2000X2200	6000
SW1100GF/S	880/1100	800/1000	12M26D968E200	12.V	150X150	4350X2000X2350	7150
SW1100GF/S	880/1100	800/1000	8M33D975E310	8.V	150X185	4050X2000X2200	6200
SW1250GF/S	1000/1250	900/1125	12M33D1108E200	12.V	150X185	4760X2100X2450	8400
SW1375GF/S	1100/1375	1000/1250	12M33D1210E200	12.V	150X185	4760X2100X2450	8500
SW1650GF	1320/1650	1200/1500	12M33D1500E310	12.V	150X185	4760X2100X2450	8700
SW1800GF	1440/1800	1320/1650	16M33D1580E310	16.V	150X185	5290X2100X2660	12500
SW2100GF	1680/2100	1500/1875	16M33D1800E310	16.V	150X185	5290X2100X2660	12500
SW2200GF	1760/2200	1600/2000	16M33D1980E310	16.V	150X185	5390X2100X2660	13000



Open frame generator set



Silent generator set



Mobile trailer generator set



Container generator set

WP Series Generators



60HZ 440V,3P4W WEICHAI SERIES

Genset Model	Standby Power (KW/KVA)	Prime Power (KW/KVA)	Model	No.of Cylinder	Bore x Stroke (mm)	Overall Size (mm)	Gross Weight (kg)
SW28GF/S1	22/28	20/25	WP2.3D30E201	4.L	89X92	1310X800X1040	480
SW33GF/S1	27/33	24/30	WP2.3D30E201	4.L	89X92	1400X800X1040	530
SW42GF/S1	33/42	30/37.5	WP2.3D41E201	4.L	89X92	1560X800X1100	660
SW55GF/S1	44/55	40/50	WP2.3D47E201	4.L	89X92	1560X800X1100	680
SW70GF/S1	56/70	50/62.5	WP2.3D58E201	4.L	89X92	1610X800X1100	740
SW85GF/S1	68/85	60/75	WP4.1D80E201	4.L	105X118	1930X880X1240	910
SW110GF/S1	88/110	80/100	WP4.1D95E201	4.L	105X118	1980X880X1240	960
SW140GF/S1	112/140	100/125	WP4.1D115E201	4.L	105X118	2000X930X1240	1010
SW165GF/S1	132/165	120/150	WP6D158E201	6.L	105X130	2350X970X1450	1440
SW220GF/S1	176/220	160/200	WP10D200E201	6.L	126X130	2785X1050X1615	2080
SW275GF/S1	200/250	180/225	WP10D238E201	6.L	126X130	2785X1050X1615	2080
SW275GF/S1	220/275	200/250	WP10D264E201	6.L	126X130	2785X1050X1615	2180
SW400GF/S1	320/400	300/375	WP10D360E201	6.L	126X130	2800X1100X1700	2480
SW440GF/S1	352/440	320/400	WP13D385E201	6.L	127X165	3130X1200X1680	2680
SW500GF/S1	400/500	360/450	WP13D448E201	6.L	127X165	3130X1200X1700	2880
SW550GF/S1	440/550	400/500	WP13D510E311	6.L	127X165	3200X1200X1700	2950
SW700GF/S1	560/700	500/625	6M33D633E201	6.L	150X185	3700X1600X2180	4550
SW750GF/S1	600/750	550/687.5	6M33D670E201	6.L	150X185	3700X1600X2180	4750
SW825GF/S1	660/825	600/750	6M33D740E311	6.L	150X185	3850X1600X2180	4950
SW880GF/S1	704/880	640/800	8M33D845E201	8.V	150X185	3500X1700X1900	4500
SW1000GF/S1	800/1000	720/900	8M33D909E201	8.V	150X185	3500X1700X1900	5800
SW1100GF/S1	880/1100	800/1000	12M26D1012E201	12.V	150X150	4320X2000X2400	7150
SW1250GF/S1	1000/1250	900/1125	12M33D1265E201	12.V	150X185	4660X2100X2410	8200
SW1375GF/S1	1100/1375	1000/1250	12M33D1265E201	12.V	150X185	4760X2100X2410	8500
SW1500GF1	1200/1500	1100/1375	12M33D1320E201	12.V	150X185	4760X2100X2410	8700
SW1650GF1	1320/1650	1200/1500	12M33D1420E201	12.V	150X185	4760X2100X2410	8700
SW1850GF1	1485/1850	1350/1687.5	16M33D1680E311	16.V	150X185	5290X2100X2660	12500
SW2100GF1	1680/2100	1500/1875	16M33D1785E311	16.V	150X185	5290X2100X2660	12500
SW2200GF1	1760/2200	1600/2000	16M33D1920E311	16.V	150X185	5390X2100X2660	13000



Open frame generator set



Silent generator set



Mobile trailer generator set



Container generator set

SY Series Generators

This series diesel generator set is powered by Perkins Series Diesel Engine. The engine has the features of good power performance, safety , low fuel consumption and good reliability. This series generator set is widely used as prime or standby power in fieldwork, building, supermarket, industrial and mining factories, oil fields, highway, harbour and so on.



50HZ 400V,3P4W YUCHAI SERIES

Genset Model	Standby Power (KW/KVA)	Prime Power (KW/KVA)	Model	No.of Cylinder	Bore x Stroke (mm)	Overall Size (mm)	Gross Weight (kg)
SY42GF/S	33/42	30/37.5	YC4D60-D25	4.L	108X115	1800X810X1160	750
SY55GF/S	44/55	40/50	YC4D90Z-D25	4.L	108X115	1850X820X1250	860
SY70GF/S	56/70	50/62.5	YC4D90Z-D25	4.L	108X115	1950X820X1250	930
SY85GF/S	68/85	60/75	YC4A100Z-D20	4.L	108X132	1950X820X1330	980
SY110GF/S	88/110	80/100	YC4A140L-D20	4.L	108X132	1990X900X1320	1120
SY140GF/S	112/140	100/125	YC4A180L-D20	4.L	108X132	2100X890X1440	1220
SY165GF/S	132/165	120/150	YC6B205L-D20	6.L	108X125	2360X950X1460	1550
SY200GF/S	160/200	150/187.5	YC6A245L-D21	6.L	108X132	2450X950X1500	1730
SY220GF/S	176/220	160/200	YC6A275-D30	6.L	108X132	2545X980X1560	1830
SY275GF/S	220/275	200/250	YC6MK350L-D20	6.L	123X145	2880X1100X1750	2470
SY350GF/S	280/350	250/312.5	YC6MK420L-D20	6.L	123X145	2970X1120X1750	2550
SY400GF/S	320/400	300/375	YC6MJ500L-D21	6.L	131X145	3100X1165X1700	2960
SY450GF/S	360/450	320/400	YC6K520-D30	6.L	129X155	3200X1285X1810	3250
SY500GF/S	400/500	360/450	YC6MJ600-D30	6.L	131X145	3100X1260X1970	3100
SY550GF/S	440/550	400/500	YC6K660-D30	6.L	129X145	3320X1285X1810	3500
SY625GF/S	500/625	450/562.5	YC6TD780-D31	6.L	152X180	3540X1480X2010	4500
SY700GF/S	560/700	500/625	YC6TD840-D31	6.L	152X180	3610X1480X2010	4900
SY825GF/S	660/825	600/750	YC6TD1000-D30	6.L	152X180	3750X1480X2180	5140
SY880GF/S	704/880	640/800	YC6TH1070-D31	6.L	175X195	3960X1670X2400	5500
SY1000GF/S	800/1000	720/900	YC6TH1220-D31	6.L	175X195	4000X1700X2350	6900
SY1100GF/S	880/1100	800/1000	YC6TH1320-D31	6.L	175X195	4000X1700X2350	7150
SY1250GF/S	1000/1250	900/1125	YC6C1520-D31	6.L	200X210	4450X1690X2500	7400
SY1375GF/S	1100/1375	1000/1250	YC12VTD1680-D30	12.V	152X180	4450X2120X2500	9400
SY1375GF/S	1100/1375	1000/1250	YC6C1660-D31	6.L	200X210	4650X1975X2270	9600
SY1650GF	1320/1650	1200/1500	YC12VTD2000-D30	12.V	152X180	4450X2120X2500	9400
SY1800GF	1440/1800	1320/1650	YC16VTD2270-D30	16.V	152X180	5280X2260X2650	11310
SY2100GF	1680/2100	1500/1875	YC16VTD2510-D30	16.V	152X180	5280X2260X2780	11410
SY2200GF	1760/2200	1600/2000	YC12VC2700-D31	12.V	200X210	5750X2640X2780	17500
SY2500GF	2000/2500	1800/2250	YC16VC3000-D31	16.V	200X210	6600X2590X3050	19950
SY2750GF	2200/2750	2000/2500	YC16VC3300-D31	16.V	200X210	6800X2800X3050	21000
SY3000GF	2400/3000	2200/2750	YC16VC3600-D31	16.V	200X210	7000X2800X3050	23000
SY3300GF	2640/3300	2400/3000	YC16VC4000-D31	16.V	200X210	7000X2800X3050	23500
SY4125GF	3300/4125	3000/3750	YC16VC4900-D30	16.V	200X210	7600X3180X3900	25000



Open frame generator set



Silent generator set



Mobile trailer generator set



Container generator set

SY Series Generators



60HZ 440V,3P4W YUCHAI SERIES

Genset Model	Standby Power (KW/KVA)	Prime Power (KW/KVA)	Model	No.of Cylinder	Bore x Stroke (mm)	Overall Size (mm)	Gross Weight (kg)
SY42GF/S	33/42	30/37.5	YC4D65-D20	4.L	108X115	1750X810X1160	735
SY55GF/S	44/55	40/50	YC4D80Z-D20	4.L	108X115	1750X810X1160	735
SY70GF/S	56/70	50/62.5	YC4D80Z-D20	4.L	108X115	1850X820X1250	860
SY85GF/S	68/85	60/75	YC4D100Z-D20	4.L	108X132	1950X820X1250	930
SY110GF/S	88/110	80/100	YC6B130Z-D20	6.L	108X125	2350X880X1460	1360
SY140GF/S	112/140	100/125	YC6B160Z-D20	6.L	108X125	2350X880X1460	1380
SY165GF/S	132/165	120/150	YC6B210L-D20	6.L	108X125	2360X980X1520	1550
SY200GF/S	160/200	150/187.5	YC6A245L-D20	6.L	108X132	2400X940X1560	1650
SY275GF/S	220/275	200/250	YC6MK360L-D20	6.L	123X145	2880X1100X1750	2320
SY350GF/S	280/350	250/312.5	YC6MK420L-D21	6.L	123X145	2970X1120X1750	2450
SY400GF/S	320/400	300/375	YC6MJ515L-D22	6.L	131X145	3100X1190X1750	2760
SY550GF/S	440/550	400/500	YC6T660L-D21	6.L	145X165	3450X1360X2070	4100
SY700GF/S	560/700	500/625	YC6TD840-D32	6.L	152X180	3610X1480X2010	4900
SY825GF/S	660/825	600/750	YC6TD1020-D32	6.L	152X180	3750X1480X2180	5140
SY880GF/S	704/880	640/800	YC6TD1020-D32	6.L	152X180	3750X1480X2180	5200
SY1000GF/S	800/1000	720/900	YC6TH1220-D33	6.L	175X195	4000X1700X2350	6900
SY1100GF/S	880/1100	800/1000	YC6TH1350-D33	6.L	175X195	4000X1700X2350	7150
SY1375GF	1100/1375	1000/1250	YC12VTD1680-D32	12.V	152X180	4350X2120X2500	9300
SY1650GF	1320/1650	1200/1500	YC12VTD2070-D32	12.V	152X180	4450X2120X2500	9400
SY220GF	1680/2100	1500/1875	YC16VTD2700-D32	16.V	152X180	5280X2400X2800	11410



Open frame generator set



Silent generator set



Mobile trailer generator set



Container generator set

SS Series Generators

This series of generator sets is powered by SDEC series diesel engines, it has the industry's first national technology center and postdoctoral workstation,adopts SAIC passenger car standard quality management system and advanced automatic production line,the machine has high reliability,good fuel economy and other characteristics.



50HZ 400V,3P4W SDEC SERIES

Genset Model	Standby Power (KW/KVA)	Prime Power (KW/KVA)	Model	No.of Cylinder	Bore x Stroke (mm)	Overall Size (mm)	Gross Weight (kg)
SS14GF/S	14/17	12/15	4Z2.3-G21	4.L	85X100	1300X700X950	430
SS28GF/S	22/28	20/25	4Z2.7-G21	4.L	90X105	1430X700X950	530
SS33GF/S	27/33	24/30	4Z3.0-G21	4.L	95X105	1430X700X970	560
SS42GF/S	33/42	30/37.5	4Z3.2-G21	4.L	98X105	1500X700X970	670
SS55GF/S	44/55	40/50	4ZT3.5-G21	4.L	98X115	1580X750X1100	740
SS70GF/S	56/70	50/62.5	4ZT4.1-G21	4.L	105X118	1730X750X1150	850
SS85GF/S	68/85	60/75	4ZTAA4.1-G21	4.L	105X118	1770X800X1150	850
SS110GF/S	88/110	80/100	SC4H140D2	4.L	105X124	2000X980X1200	1100
SS140GF/S	112/140	100/125	SC4H180D2	4.L	105X124	2000X980X1200	1123
SS165GF/S	132/165	120/150	SC7H205D2	6.L	105X124	2450X950X1380	1412
SS200GF/S	160/200	150/187.5	SC7H250D2	6.L	105X124	2450X950X1380	1437
SS220GF/S	176/220	160/200	SC8D280D2	6.L	114X135	2490X1080X1630	1770
SS275GF/S	220/275	200/250	SC9D340D2	6.L	114X144	2540X1000X1500	1835
SS350GF/S	280/350	250/312.5	SC13G420D2	6.L	135X150	3080X1230X1670	2760
SS400GF/S	320/400	300/375	SC12E480D2	6.L	128X153	3070X1100X1650	2640
SS450GF/S	360/450	320/400	SC13E550D2	6.L	130X161	3070X1100X1650	2640
SS500GF/S	400/500	360/450	SC25G610D2	12.V	135X150	3450X1400X2000	4195
SS550GF/S	440/550	400/500	SC25G690D2	12.V	135X150	3550X1400X2000	4300
SS625GF/S	500/625	450/562.5	SC27G755D2	12.V	135X155	3550X1400X2000	4370
SS700GF/S	560/700	500/625	SC27G830D2	12.V	135X155	3550X1400X2000	4510
SS825GF/S	660/825	600/750	SC27G900D2	12.V	135X155	3700X1450X2280	4880
SS880GF/S	704/880	640/800	6KTAA25-G32	6.L	170X185	3900X1650X2300	5260
SS1000GF/S	800/1000	720/900	6KTAA25-G320	6.L	170X185	4400X1650X2300	5800
SS1100GF/S	880/1100	800/1000	6KTAA25-G321	6.L	170X185	4400X1650X2200	5800
SS1250GF/S	1000/1250	900/1250	6WTAA35-G310	6.L	186X215	4530X2000X2500	7450
SS1375GF/S	1100/1375	1000/1250	6WTAA35-G311	6.L	186X215	4530X2000X2500	7450
SS1650GF	1320/1650	1200/1500	12KTA58-G35	12.V	170X210	5300X2250X2700	11000
SS1800GF	1440/1800	1320/1650	12KTA58-G34	12.V	170X210	5450X2250X2700	12000
SS2100GF	1680/2100	1500/1875	12KTA58-G33	12.V	170X210	5450X2250X2700	12000
SS2200GF	1760/2200	1600/2000	12KTA58-G32	12.V	170X210	5550X2250X2700	13000
SS2500GF	2000/2500	1800/2250	12KTA58-G31	12.V	170X210	5700X2250X2700	15000



Open frame generator set



Silent generator set



Mobile trailer generator set



Container generator set

SH Series Generators

This series of diesel generator sets is powered by Ricardo series diesel engine, which has the characteristics of good power performance, fuel consumption and high reliability. The unit is widely used for power or lighting power supply in national defense, telecommunications construction, high-rise buildings, commercial buildings, industrial and mining enterprises, oil fields, highways, ports and other places.



50HZ 400V,3P4W RICARDO SERIES

Genset Model	Standby Power (KW/KVA)	Prime Power (KW/KVA)	Model	No.of Cylinder	Bore x Stroke (mm)	Overall Size (mm)	Gross Weight (kg)
SH17GF/S	14/17	12/15	ZH490D	4.L	90X100	1350X720X1070	350
SH22GF/S	18/22	16/20	ZH490D	4.L	90X100	1350X720X1070	390
SH28GF/S	22/28	20/25	ZH4100D	4.L	100X115	1450X760X1120	580
SH33GF/S	27/33	24/30	ZH4100D	4.L	100X115	1450X760X1120	595
SH42GF/S	33/42	30/37.5	ZH4100ZD	4.L	100X115	1700X760X1170	640
SH55GF/S	44/55	40/50	ZH4102ZD	4.L	102X115	1700X760X1170	650
SH70GF/S	56/70	50/62.5	R4105ZD	4.L	105X120	1800X880X1200	815
SH85GF/S	68/85	60/75	R4105ZLD	4.L	105X120	1880X880X1200	860
SH110GF/S	88/110	80/100	R6105ZD	6.L	105X130	2200X760X1650	1229
SH140GF/S	112/140	100/125	R6105AZLD	6.L	105X130	2200X760X1330	1250
SH165GF/S	132/165	120/150	R6105IZLD	6.L	105X135	2280X760X1650	1275
SH200GF/S	160/200	150/187.5	R6108ZLD	6.L	108X135	2500X980X1620	1440
SH220GF/S	176/220	160/200	6D10D182A	6.L	126X130	2800X1070X1750	2030
SH275GF/S	220/275	200/250	6D10D235A	6.L	126X130	2900X1070X1750	2150
SH350GF/S	280/350	250/312.5	6D10D258A	6.L	126X130	3080X1070X1750	2335
SH400GF/S	320/400	300/375	6D12D320A	6.L	126X130	3080X1170X1850	2620
SH450GF/S	360/450	320/400	D2655A	6.L	126X155	3200X1250X1950	2800

60HZ 440V,3P4W RICARDO SERIES

Genset Model	Standby Power (KW/KVA)	Prime Power (KW/KVA)	Model	No.of Cylinder	Bore x Stroke (mm)	Overall Size (mm)	Gross Weight (kg)
SH33GF/S	27/33	24/30	ZH4100D	4.L	100X115	1600X760X1070	595
SH42GF/S	33/42	30/37.5	ZH4100ZD	4.L	100X115	1700X760X1170	640
SH55GF/S	44/55	40/50	ZH4102ZD	4.L	102X115	1700X760X1170	650
SH70GF/S	56/70	50/62.5	N4105ZD	4.L	105X120	1800X880X1200	815
SH110GF/S	88/110	80/100	R6105ZD	6.L	105X125	2200X760X1650	1229
SH140GF/S	112/140	100/125	R6105AZLD	6.L	105X130	2200X760X1650	1250
SH165GF/S	132/165	120/150	R6105IZLD	6.L	105X135	2280X760X1650	1275
SH200GF/S	160/200	150/187.5	R6108ZLD	6.L	108X135	2500X980X1620	1440
SH275GF/S	220/275	200/250	6D10D235B	6.L	126X130	2900X1070X1750	2150
SH350GF/S	280/350	250/312.5	6D10D258B	6.L	126X130	3080X1070X1750	2335



Open frame generator set



Silent generator set



Mobile trailer generator set



Container generator set

SL Series Generators

This series of diesel generator sets are powered by Mitsubishi Heavy series diesel engines and s6r2 / s12r / s16r three series engines. The technical standards, manufacturing level and quality control are always synchronized with Mitsubishi Heavy Industries. Thanks to the integration of fuel system and engine development of Mitsubishi Heavy Industry, the power output with optimal performance, high power, high stability and low emission is realized.



SB Series Generators

This series of diesel generator set is powered by Woling series diesel engine. It is a well-known domestic manufacturer specializing in diesel engine R & D, design and production of nonroad diesel engines and gas engines.



50HZ 400V,3P4W MITSUBISHI SERIES

Genset Model	Standby Power (KW/KVA)	Prime Power (KW/KVA)	Model	No.of Cylinder	Bore x Stroke (mm)	Overall Size (mm)	Gross Weight (kg)
SL1375GF	1100/1375	1000/1250	S12R-PTA-C	12.V	170X180	4500X2000X2326	9850
SL1650GF	1320/1650	1200/1500	S12R-PTAA2-C	12.V	170X180	5200X2120X2350	10380
SL1800GF	1440/1800	1320/1650	S16R-PTA-C	16.V	170X180	5260X2200X2482	11530
SL2100GF	1680/2100	1500/1875	S16R-PTA2-C	16.V	170X180	5460X2200X2482	14551
SL2200GF	1760/2200	1600/2000	S16R-PTAA2-C	16.V	170X180	6350X2200X2500	15820
SL2500GF	2000/2500	1800/2250	S16R-PTAW-C	16.V	170X180	7000X2200X2500	17600

50HZ 400V,3P4W WOLING SERIES

Genset Model	Standby Power (KW/KVA)	Prime Power (KW/KVA)	Model	No.of Cylinder	Bore x Stroke (mm)	Overall Size (mm)	Gross Weight (kg)
SB275GF/S	220/275	200/250	DC9D340D2	6.L	114X144	2580X1050X1670	1730
SB350GF/S	280/350	250/312.5	DC9DG34	6.L	114X144	2980X1280X1950	2645
SB400GF/S	320/400	300/375	DC350	6.L	135X150	3115X1245X1950	2735
SB450GF/S	360/450	320/400	DC375	6.L	128X153	3115X1245X1950	2740
SB500GF/S	400/500	360/450	DCG450	6.L	135X165	3115X1250X1890	2925
SB550GF/S	440/550	400/500	DCV510	12.V	135X150	3130X1330X2020	3500
SB625GF/S	500/625	450/562.5	DCV565	12.V	135X150	3440X1480X2240	3875
SB700GF/S	560/700	500/625	DCV610	12.V	135X150	3440X1480X2240	4350
SB825GF/S	660/825	600/750	DCV720	12.V	135X155	3750X1750X2406	4450
SB880GF/S	704/880	640/800	DCV780	12.V	135X155	3900X1730X2400	6000
SB1000GF/S	800/1000	720/900	DCV936	12.V	138X158	3900X1730X2400	6000
SB1100GF/S	880/1100	800/1000	DCV1200	12.V	138X168	4110X1930X2400	6140